

JC35VT TV lifting system




Date Sheet

JC35VT

The JC35VT is suitable for TV ranging from 25" to 60" in size. It allows for free height adjustment and selection of operating positions, and can be controlled using a handheld controller or remote control.



Control box
JCB35NS1



Remote control
JCHR35C4







Hand controller
JCHT35K9







Technical Specifications

Model	JC35VT-650	JC35VT-1000
Maximum Thrust (N)	600	
Self-locking Force (N)	700	
Input Voltage (VAC)	100-240	
Load Speed (mm/s)	25	
Lowest Point Height (mm)	570	810
Highest Point Height (mm)	1220	1810
Color	Black	
Duty Cycle	10%, max. continuous work for 2min. and 18 min. off	
Protection Class	IP20	
Operating Environment	+5℃~+40℃	
Certification Standards	CE/UL	
Packaging Dimensions	670*310*250	900*310*235
Weight (KG)	16.5Kg	21Kg
Installation Method	Top roller cover flap type (with 95° weak hinge) /Top-mounted cover plate vertical lift type	

Dimension




JC35VT-650



JC35VT-1000

Ordering example

JC35VT - 3 - B - 230 (650)



Application Case



Disclaimer and Exclusion of Liability

The user must determine the suitability of JIECANG products under specific conditions. JIECANG is committed to providing the latest product information. However, as JIECANG' s product are constantly improving, it is possible to make changes to JIECANG' s product without prior notice. Therefore, JIECANG cannot guarantee the correctness and authenticity of the product information. Although JIECANG will do its best to meet the order requirements, due to the above reasons, JIECANG cannot guarantee the delivery capacity of any specific product. Therefore, JIECANG reserves the right to stop selling any products listed on the website or product catalog or other JIECANG written materials. All sales activities must be carried out in accordance with the requirements of JIECANG sales and Delivery Standard Clauses. For copies of relevant documents, please contact JIECANG.